Solar Panel Power Supply System Quotation

Monocrystalline silicon solar panel power supply system 5V12V/24V, the default output is 12V.Suitable for all DC equipment.

AMV TechnologyCo.,Ltd Contact: sales@amv-cctv.com Tel/whatsapp/wechat:+8615118019620 Skype: amv_cctv www.amv-cctv.com

PICTURE	MODEL	FEATURES / PACKING SPECIFICATIONS
Solar Panel 40W Li-ion Battery 20AH	**BS-40W-20Ah**	1. 40W brand new A-level monocrystalline silicon panel, crystalline silicon cell used in national power station, generating power 10W/hour higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/5A, peak charging current 1.75A, with aluminum alloy battery waterproof box, with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. PWM controller: maximum 5A rated current; 4. Paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 540*450*25mm 6. Outer package size: 500*205*605mm 7. Weight: 8KG 8. The 20Ah lithium battery has a full load power consumption of 240 watts, which can supply power for the box camera and 2.5-inch dome camera for 2 days.
Solar Panel 60W Li-ion Battery 20AH	**BS-60W-20Ah**	1. 60W brand new A-level monocrystalline silicon panel, crystalline silicon cell used in national power station, generating power 10W/hour higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/5A, peak charging current 3.45A, with aluminum alloy battery waterproof box, with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. PWM controller: maximum 5A rated current; 4. Paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 670*630*30mm 6. Outer package size: 690*230*730mm 7. Weight: 12KG 8. The 20Ah lithium battery has a full load power consumption of 240 watts, which can supply power for the box camera and 2.5-inch dome camera for 2 days.
Solar Panel 60W Li-ion Battery 30AH	BS-60W-30Ah	1. 60W brand new A-level monocrystalline silicon panel, crystalline silicon cell used in national power station, generating power 10W/hour higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/5A, peak charging current 3.45A, with aluminum alloy battery waterproof box, with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. PWM controller: maximum 5A rated current; 4. Paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 670*630*30mm 6. Outer package size: 690*230*730mm 7. Weight: 12.6KG 8. The 30Ah lithium battery has a full load power consumption of 360 watts, which can supply power for the box camera and 2.5-inch dome camera for 3 days.
Solar Panel 60W Li-ion Battery 40AH	BS-60W-40Ah	1. 60W brand new A-level monocrystalline silicon panel, crystalline silicon cell used in national power station, generating power 10W/hour higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/5A, peak charging current 3.45A, with aluminum alloy battery waterproof box, with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. PWM controller: maximum 5A rated current; 4. Paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 670*630*30mm 6. Outer package size: 690*230*730mm 7. Weight: 13.8KG 8. The 20Ah lithium battery has a full load power consumption of 480 watts, which can supply power for the box camera and 2.5-inch dome camera for 4 days.

 Solar Panel 80W Li-ion Battery 40AH	BS-80W-40Ah	1. 80W brand new A-level monocrystalline silicon panel, the crystalline silicon cell used in the national power station, the power generation is 10W/h higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, full voltage is 12.6V; maximum load output: 12V/10A, peak value Charging current 4.45A, equipped with aluminum alloy battery waterproof box, and with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. All aluminum alloy waterproof controller: maximum 10A rated current; 4. Baking paint bracket, anti-corrosion Corrosion, equipped with U-shaped hoop; 5. Solar panel size: 780*670*30mm 6. Outer packaging size: 840*230*730mm 7. Weight: 15.3KG 8. The 40Ah lithium battery has a full load power consumption of 480 watts, which can provide power for the bolt camera and 2.5-inch dome camera for 4-5 days.
 Solar Panel 100W Li-ion Battery 50AH	BS-100W-50Ah	1. A new 100 watt A-level monocrystalline silicon panel, the crystalline silicon cell used in the national power station, the power generation is 10W/hour higher than that on the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/10A, peak charging current 5.6A, with aluminum alloy battery waterproof box, and voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. All aluminum alloy waterproof controller: maximum 10A rated current ; 4. Baking paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 915*670*30mm 6. Outer package size: 970*210*730mm 7. Weight: 21KG 8. The 50Ah lithium battery has a full load power consumption of 600 watts and can supply power for a 5-inch dome camera for 3-4 days.
 Solar Panel 120W Li-ion Battery 60AH	BS-120W-60Ah	1. 120W brand-new A-level monocrystalline silicon panel, the crystalline silicon cell used in the national power station, the power generation is 10W/hour higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, the full voltage is 12.6V; the maximum load Output: 12V/10A, peak charging current 6.6A, with aluminum alloy battery waterproof box, with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. All aluminum alloy waterproof controller: maximum 10A rated current ; 4. Baking paint bracket, anti-corrosion, equipped with U-shaped hoop; 5. Solar panel size: 1020*670*30mm 6. Outer packing size: 1080*210*730mm 7. Weight: 25KG 8. The 60Ah lithium battery has a full load power consumption of 720 watts, and the 5-inch dome camera provides power for 4-5 days.
 Solar Panel 200W Li-ion Battery 100AH	BS-200W-100Ah	1. A new 200-watt A-level monocrystalline silicon panel, the crystalline silicon cell used in the national power station, the power generation is 10W/h higher than the market, monocrystalline, peak voltage 18V-22V, anodized aluminum frame, waterproof grade IP66 , 25-year linear power guarantee; 2. Lithium battery: ternary lithium, brand new A product 18650 battery cell, temperature: minus 30 degrees-high temperature 60 degrees, can be cycled charge and discharge 800 times, full voltage is 12.6V; maximum load output: 12V/10A, peak value Charging current 11.2A, equipped with aluminum alloy battery waterproof box, and with voltage display, output 12V, DC interface diameter 2.1*5.5mm; 3. All aluminum alloy waterproof controller: maximum 20A rated current; 4. Baking paint bracket, anti-corrosion Corrosion, equipped with U-shaped hoop; 5. Solar panel size: 915*670*30mm, two 100W solar panels; 6. Outer package size: 1440*1730*975mm 7. weight: 35.8KG 8. The 100Ah lithium battery has a full load power consumption of 1200 watts, 2 bolt cameras, 1 network bridge, and 1 dome camera. Standby for 4-5 days in cloudy and rainy days.

4G PTZ Security Cameras Quotation

APP:CamHi & CamHipro USA 4G version Add Extra $5

AMV Technology Co.,Ltd Contact: sales@amv-cctv.com Tel/whatsapp/wechat:+8615118019620 Skype: amv_cctv www.amv-cctv.com

PICTURE	MODEL	FEATURES	PACKING SPECIFICATIONS
	IPC360-10X-4G-2MP IPC360-10X-4G-4MP	* 2.8mm+8mm (4x ZOOM)Lens * Support HD 2MP (1920*1080) 1080P High quality resolution/4MP resolution * 4pcs Array Infrared LEDs. * 4pcs White LEDs,Support full color night vision Built-in Microphone ,Speaker,Support Two Way Audio Talk Back * H.265 Compression * Microphone Effective Range 15 Meters * Loudspeaker Effective Range 60 Meters * Support TF card, up to 128G(Don't included TF Card) * Pan tilt rotation, horizontal * Support humanoid auto tracking and auto focus.* Provide android & ios APP (Camhipro), and PC CMS * Outdoor Use,Waterproof IP66 * Support maxt 6 users view at same time	 Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ01-4G-2MP-3.6mm PTZ01-4G-5MP-3.6mm	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：3.6mm	20*14*22cm(L*W*H) 1PCS/Contain box：0.95KG 
	PTZ01-4G-2MP-5X PTZ01-4G-5MP-5X	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：5X（2.7-13.5mm）	Q,TY:20 PCS N.W.: 17.67 KG G.W.: 19 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ02-4G-2MP-3.6mm PTZ02-4G-5MP-3.6mm	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：3.6mm	20*14*22cm(L*W*H) 1PCS/Contain box：0.95KG 
	PTZ02-4G-2MP-5X PTZ02-4G-5MP-5X	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3.Support4G Sim card and Wifi. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：5X（2.7-13.5mm）	Q,TY:20 PCS N.W.: 17.67 KG G.W.: 19 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ03-4G-2MP-10X PTZ03-4G-5MP-5X	1. 10X high-definition network ball (4.7-47MM) 6 white lights, 6 infrared night vision distance: 20-80 meters; 2. 5MP lens; 3. Support4G Sim card and Wifi. 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom	24.5*22.5*18.1cm(L*W*H) 1PCS/Contain box：1.15KG Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ04-4G-2MP-30X PTZ04-4G-5MP-30X	1. 3.5-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. External TF card, maximum support 256G 5. 8 white light + 7 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 3.6mm	23*23*14.8cm(L*W*H) 1PCS/Contain box：1.15KG Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990

	PTZ05-4G-2MP-3.6mm PTZ05-4G-5MP-3.6mm PTZ05-4G-8MP-3.6mm	1. 4-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. External TF card, maximum support 256G 5. 15 white light + 15 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 3.6mm	24.5*22.5*18.1cm(L*W*H) 1PCS/Contain box： 1.15KG
	PTZ05-4G-2MP-5X PTZ05-4G-5MP-5X PTZ05-4G-8MP-5X	1. 4-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support4G Sim card and Wifi. 4. External TF card, maximum support 256G 5. 15 white light + 15 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 2.7-13.5mm	Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ06-4G-2MP-20X PTZ06-4G-5MP-20X	1. 4.5-inch red and blue alarm lights. 2. Built-in 15-meter recording function, external subwoofer speaker can be used for 40-meter intercom 3. Support4G Sim card and RJ45. 4. External TF card, maximum support 256G 5. 4 white light + 6 infrared, night vision 30 meters full color,60 meters infrared 6. Lens: (4.7-94mm 20X Optical+13X Digital)	32*26*19cm(L*W*H) 1PCS/Contain box：2KG Q,TY:8PCS N.W.: 15.01 KG G.W.: 16 KG MEAS:63.5*53*36.5cm
	PTZ07-4G-2MP-5X PTZ07-4G-5MP-5X PTZ07-4G-8MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ07-4G-2MP-20X PTZ07-4G-5MP-20X	1. 30X high-definition network ball (4.7-94mm 20X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990
	PTZ08-4G-2MP-5X PTZ08-4G-5MP-5X PTZ08-4G-8MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ08-4G-2MP-20X PTZ08-4G-5MP-20X	1. 30X high-definition network ball (4.7-94mm 20X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990

	PTZ09-4G-2MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ09-4G-5MP-5X		
	PTZ09-4G-8MP-5X		
	PTZ09-4G-2MP-20X	1. 30X high-definition network ball (4.7-94mm 20X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support 4G / Wifi / RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990
	PTZ09-4G-5MP-20X		
	PTZ10-4G-2MP-20X	1. 6-inch 33X high-definition network ball (4.7-94mm 20X Optical+13X Digital), 6 lasers and 6 white lights, night vision: 120 meters 2. Support 4G / Wifi / RJ45; 3. Support human form recognition and automatic tracking. 4. Mobile APP: camhi Or Camhipro; 5. Support up to 256GB TF card, 24 hours video recording, 6. with bracket and power supply 7. Support 360-degree rotation, the maximum speed can reach 60 degrees/S, support preset points and cruise, support voice alert, IP66 waterproof rating	44*26.5*26cm(L*W*H) 1PCS/Contain box： 5KG
	PTZ10-4G-5MP-20X		
	PTZ10-4G-8MP-20X		
	PTZ10-4G-2MP-30X	1. 6-inch 40X high-definition network ball (4.7-141MM 30X Optical+10X Digital), 6 lasers and 6 white lights, night vision: 120 meters 2. Support 4G / Wifi / RJ45; 3. Support human form recognition and automatic tracking. 4. Mobile APP: camhi Or Camhipro; 5. Support up to 256GB TF card, 24 hours video recording, 6. with bracket and power supply 7. Support 360-degree rotation, the maximum speed can reach 60 degrees/S, support preset points and cruise, support voice alert, IP66 waterproof rating	
	PTZ10-4G-5MP-30X		Q,TY:4PCS N.W.: 19.12 KG G.W.: 20 KG MEAS:54.5*27.5*45.5cm HS CODE:8525803990

Low power consumption camera

PICTURE	MODEL	FEATURES	PACKING SPECIFICATIONS
	IPS03B-4G-2.0MP	*Ultra-low power consumption 4g/wifi solar power camera *1080P resolution, 4pcs IR led *Support PIR motion recording *Mobile App: Mycam/Tuya *Support two way audios * with bracket, 5.5W solar panel and 9600mah li-battery	32*26*19cm(L*W*H) 1PCS/Contain box：2KG
	IPS03B-WiFi-2.0MP		
	WS04 PLUS-4G-2.0MP	*Ultra-low power consumption 4g/wifi solar power ptz camera. Solar Power garden Camera (daynight full color) *1080P resolution, 2pcs white led lamp *Support PIR motion recording *Mobile App: Mycam/Tuya *Support two way audios * with bracket, 5.5W solar panel and12000mah li-battery	32*26*19cm(L*W*H) 1PCS/Contain box：3KG
	WS04 PLUS-WiFi-2.0MP		
	WS06 PLUS-4G-2.0MP	*Ultra-low power consumption 4g/wifi solar power ptz camera *1080P resolution, 6pcs IR led *Support PIR motion recording *Mobile App: Mycam/Tuya *Support two way audios * with bracket, 15W solar panel and 20AH li-battery	42*32*22cm(L*W*H) 1PCS/Contain box：6KG
	WS06 PLUS-WiFi-2.0MP		

	IP11-4G-2.0MP-4mm IP11-WIFI-2.0MP-4mm	1.Power Free：Solar Powered&Inside Battery (8w solar panel+15.6AH Li-battery) 2.No need to lay the network cable 3.Can only support 4G/wifi 4.Living Video:Remote View anytime anywhere 5.Motion Working:Human Motion working Mode 6.Dual light source design:Users can define the lighting mode according to their needs； 7.Easy installation:No need for professional construction personnel to install 8.Pan&Tilt:Pan 320 degree&Tilt 90 degree	32*26*19cm(L*W*H) 1PCS/Contain box：3KG
	IPS02B-4G-2.0MP IPS02B-WF-2.0MP	1.Power Free：Solar Powered&Inside Battery (5.5w solar panel+10400mah Li-battery) 2.No need to lay the network cable 3.Can only support 4G/wifi 4.Living Video:Remote View anytime anywhere 5.Motion Working:Human Motion working Mode 6.Dual light source design:Users can define the lighting mode according to their needs； 7.Easy installation:No need for professional construction personnel to install	32*26*19cm(L*W*H) 1PCS/Contain box：3KG
	Mini-4G	1, 4g network camera 1080P resolution, 6200mah battery 2. two way audios, pir motion detection 3, day and night vision 4.Living Video:Remote View anytime anywhere 5.Motion Working:Human Motion working Mode	
	IP12-4G-2.0MP-5X	*Outdoor waterproof, metal material, IP66 *18W monocrystalline silicon solar panel,12V15AH 21700 rechargeable Li-battery * 6pcs array IR + 4pcs white LED 30M night vision *H.265/H.264 Video compression *2.8-13.5MM 3megapixel len, 5x optical zoom *Horizontal 355° rotation, vertical 3° – 90° rotate *APP: Camhipro/ Camhi	316mm×295mm×266mm (L*W*H) 1PCS/Contain box：9KG

WiFi PTZ Security Cameras Quotation

APP:CamHi & CamHipro

AMV Technology Co.,Ltd Contact: sales@amv-cctv.com Tel/whatsapp/wechat:+8615118019620 Skype: amv_cctv www.amv-cctv.com

PICTURE	MODEL	FEATURES	PACKING SPECIFICATIONS
	PT-Wifi-2MP	3.6mm fixed focus Len Support 2.4GHz WIFI Support HD 2MP(1920*1080) High quality resolution 16pcs Array Infrared LEDs. 16pcs White LEDs，Support full color night vision Built-in Microphone , Speaker,Support Two Way Audio Talk Back Microphone Effective Range 15 Meters Loudspeaker Effective Range 60 Meters Support TF card, up to 256G(Don't included TF Card) Pan tilt rotation, horizontal:355° & vertical:90°Ø Support P2P, view & anywhere & anytime Elegant outline and easy installation Provide android & ios APP (CamHi/Camhipro) Outdoor Use,Waterproof IP66	20*14*22cm(L*W*H) 1PCS/Contain box： 0.95KG Q,TY:20 PCS N.W.: 17.67 KG G.W.: 19 KG MEAS:69.5*43.5*42.5cm HS CODE:8525893300
	IPC360-10X-WIFI-2MP IPC360-10X-WIFI-4MP	* 2.8mm+8mm (4x ZOOM)Lens * Support HD 2MP (1920*1080) 1080P High quality resolution/4MP resolution * 4pcs Array Infrared LEDs. * 4pcs White LEDs,Support full color night vision Built-in Microphone ,Speaker,Support Two Way Audio Talk Back * H.265 Compression * Microphone Effective Range 15 Meters * Loudspeaker Effective Range 60 Meters * Support TF card, up to 128G(Don't included TF Card) * Pan tilt rotation, horizontal * Support humanoid auto tracking and auto focus.* Provide android & ios APP (Camhipro), and PC CMS * Outdoor Use,Waterproof IP66 * Support maxt 6 users view at same time	23X18X13 cm(L*W*H) 1PCS/Contain box： 0.8KG Q,TY:16 PCS N.W.: 12.08 KG G.W.: 13 KG MEAS:69.5*43.5*42.5cm HS CODE:8525893300
	PTZ01-WIFI-2MP-3.6mm PTZ01-WIFI-4MP-3.6	Network mode: Support Wifi and RJ45 Lens:3.6mm . Support Auto Tracking&Motion Detection 4pcs Array Infrared LEDs 0-20m Night Vision 4pcs Array White light LEDs Full color night vision support Pan tilt rotation, horizontal:350° & vertical:90°Ø Built-in Microphone&Speaker,Support Two Way Audio Talk Back Day&Night mode: Auto IR-CUT Support TF card, up to 128G(Don't included TF Card) Provide Android & IOS APP (CamHi/CamHipro) Voltage: DC 12V 2A Outdoor Use , Waterproof IP66	18*14.5*10cm(L*W*H) 1PCS/Contain box：0.55KG Q,TY:40 PCS N.W.: 22.1 KG G.W.: 23.6 KG MEAS:51.5*37*42cm HS CODE:8525803990
	PTZ01-WiFi-2MP-3.6mm PTZ01-WiFi-5MP-3.6mm	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：3.6mm	20*14*22cm(L*W*H) 1PCS/Contain box：0.95KG 
	PTZ01-WiFi-2MP-5X PTZ01-WiFi-5MP-5X	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：5X（2.7-13.5mm）	Q,TY:20 PCS N.W.: 17.67 KG G.W.: 19 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ02-WiFi-2MP-3.6mm PTZ02-WiFi-5MP-3.6mm	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：3.6mm	20*14*22cm(L*W*H) 1PCS/Contain box：0.95KG 
	PTZ02-WiFi-2MP-5X PTZ02-WiFi-5MP-5X	1. Aluminum alloy shell on top of 2.5 inch head, good heat dissipation. 2.It comes with 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3.Support Wifi and RJ45 4. Externally inserted TF card, maximum support 256G 5. 5 white light + 4 infrared, night vision 30 meters full color, 30 meters infrared 6.Lens：5X（2.7-13.5mm）	Q,TY:20 PCS N.W.: 17.67 KG G.W.: 19 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ03-WiFi-2MP-10X PTZ03-WiFi-5MP-5X	1. 10X high-definition network ball (4.7-47MM) 6 white lights, 6 infrared night vision distance: 20-80 meters; 2. 5MP lens; 3. Support Wifi and RJ45 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom	24.5*22.5*18.1cm(L*W*H) 1PCS/Contain box：1.15KG Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990

	PTZ04-WiFi-2MP-3.6mm PTZ04-WiFi-5MP-3.6mm PTZ04-WiFi-8MP-3.6mm	1. 3.5-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. External TF card, maximum support 256G 5. 8 white light + 7 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 3.6mm	23*23*14.8cm(L*W*H) 1PCS/Contain box：1.15KG Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ05-WiFi-2MP-3.6mm PTZ05-WiFi-5MP-3.6mm PTZ05-WiFi-8MP-3.6mm	1. 4-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. External TF card, maximum support 256G 5. 15 white light + 15 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 3.6mm	24.5*22.5*18.1cm(L*W*H) 1PCS/Contain box：1.15KG
	PTZ05-WiFi-2MP-5X PTZ05-WiFi-5MP-5X PTZ05-WiFi-8MP-5X	1. 4-inch red and blue alarm lights. 2. Built-in 15-meter recording function, built-in subwoofer can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. External TF card, maximum support 256G 5. 15 white light + 15 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: 2.7-13.5mm	Q,TY:12PCS N.W.: 12.21 KG G.W.: 13.8 KG MEAS:69.5*43.5*42.5cm HS CODE:8525803990
	PTZ06-WiFi-2MP-20X PTZ06-WiFi-5MP-20X	1. 4.5-inch red and blue alarm lights. 2. Built-in 15-meter recording function, external subwoofer speaker can be used for 40-meter intercom 3. Support Wifi and RJ45. 4. External TF card, maximum support 256G 5. 15 white light + 15 infrared, night vision 20 meters full color, 20 meters infrared 6. Lens: (4.7-94mm 33X Optical+13X Digital)	32*26*19cm(L*W*H) 1PCS/Contain box：2KG  Q,TY:8PCS N.W.: 15.01 KG G.W.: 16 KG MEAS:63.5*53*36.5cm HS CODE:8525803990
	PTZ07-WiFi-2MP-5X PTZ07-WiFi-5MP-5X PTZ07-WiFi-8MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ07-WiFi-2MP-20X PTZ07-WiFi-5MP-20X	1. 30X high-definition network ball (4.7-94mm 30X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990
	PTZ08-WiFi-2MP-5X PTZ08-WiFi-5MP-5X PTZ08-WiFi-8MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ08-WiFi-2MP-20X PTZ08-WiFi-5MP-20X	1. 30X high-definition network ball (4.7-94mm 30X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990

	PTZ09-WiFi-2MP-5X	1. 5X high-definition network ball (2.7-13.5MM) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	18*18.5*29cm(L*W*H) 1PCS/Contain box： 2.2KG
	PTZ09-WiFi-5MP-5X		
	PTZ09-WiFi-8MP-5X		
	PTZ09-WiFi-2MP-20X	1. 30X high-definition network ball (4.7-94mm 30X Optical+10X Digital) night vision distance: 20-80 meters; 2. Support Wifi and RJ45; 3. Externally insert TF card; 4. Mobile APP: camhi or camhipro 5. Maximum support 256GB TF card, 24 hours video recording; 6. two-way voice intercom, subwoofer speaker	Q,TY:6PCS N.W.: 12.51 KG G.W.: 13.2 KG MEAS:57.5*38.5*31.5cm HS CODE:8525803990
	PTZ09-WiFi-5MP-20X		
	PTZ10-WiFi-2MP-20X	1. 6-inch 20X high-definition network ball (4.7-94mm 33X Optical+13X Digital), 6 lasers and 6 white lights, night vision: 120 meters 2. Support Wifi and RJ45 3. Support human form recognition and automatic tracking. 4. Mobile APP: camhi Or Camhipro; 5. Support up to 256GB TF card, 24 hours video recording, 6. with bracket and power supply 7. Support 360-degree rotation, the maximum speed can reach 60 degrees/S, support preset points and cruise, support voice alert, IP66 waterproof rating	44*26.5*26cm(L*W*H) 1PCS/Contain box： 5KG
	PTZ10-WiFi-5MP-20X		
	PTZ10-WiFi-8MP-20X		
	PTZ10-WiFi-2MP-30X	1. 6-inch 30X high-definition network ball (4.7-94mm 33X Optical+13X Digital), 6 lasers and 6 white lights, night vision: 120 meters 2. Support Wifi and RJ45 3. Support human form recognition and automatic tracking. 4. Mobile APP: camhi Or Camhipro; 5. Support up to 256GB TF card, 24 hours video recording, 6. with bracket and power supply 7. Support 360-degree rotation, the maximum speed can reach 60 degrees/S, support preset points and cruise, support voice alert, IP66 waterproof rating	Q,TY:4PCS N.W.: 19.12 KG G.W.: 20 KG MEAS:54.5*27.5*45.5cm HS CODE:8525803990
	PTZ10-WiFi-5MP-30X		

4G Bullet Security Cameras Quotation

APP:CamHi & CamHipro USA 4G version Add Extra $5

/ Technology Co.,Ltd Contact: sales@amv-cctv.com Tel/whatsapp/wechat:+8615118019620 Skype: amv_cctv www.amv-cctv.

PICTURE	MODEL	FEATURES	PACKING SPECIFICATIONS
	BL01-4G-2MP-3.6mm **BL01-4G-5MP-3.6mm**	1. 4 matrix infrared lights, 4 night vision distance: 20 meters; 2. PTZ Standard 3.6mm lens; 3. Support4G Sim card and Wifi. 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording; 7. With pan/tilt, support humanoid recognition/automatic tracking, horizontal 180° rotation, vertical 0°～90° automatic flip.	24.7*11.4*9.4cm(L*W*H) 1PCS/Contain box：0.5KG Q,TY:30PCS N.W.: 14.23 KG G.W.: 15KG MEAS:49.5*58.8*30.4cm HS CODE:8525803990
	BL02-4G-2MP-3.6mm **BL02-4G-5MP-3.6mm** **BL02-4G-8MP-3.6mm**	1. 10 matrix infrared lights,full day and night; night vision distance: 20 meters; 2. 3.6mm fixed lens; 3. Support4G Sim card and Wifi. 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.5KG Q,TY:50PCS N.W.: 24.02 KG G.W.: 25KG MEAS:54*40*52cm HS CODE:8525803990
	BL03-4G-2MP-3.6mm **BL03-4G-5MP-3.6mm** **BL03-4G-8MP-3.6mm**	1. 4 matrix infrared lights, 4 night vision distance: 20 meters; 2. 3.6mm fixed lens; 3. Support4G Sim card and Wifi. 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.5KG Q,TY:50PCS N.W.: 24.02 KG G.W.: 25KG MEAS:54*40*52cm HS CODE:8525803990
	BL04-4G-2MP-2.8mm **BL04-4G-5MP-2.8mm**	1. 18 matrix infrared lights,full day and night; night vision distance: 10 meters; 2. 2.8mm fixed lens; 3. Built-in SD card,Support4G Sim card and Wifi. 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;；	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.37KG Q,TY:50PCS N.W.: 27.12 KG G.W.: 18.5KG MEAS:54*40*52cm HS CODE:8525803990
	BL05-4G-2MP-5X **BL05-4G-5MP-5X**	1. Double antenna 5 times optical high-definition network ball (2.7-13.5MM) night vision distance: 20-60 meters, 2. Support4G Sim card and Wifi. 3. Insert SD card, 4. Mobile APP: camhi or camhipro 5. Support up to 256GB TF card, 24 hours video recording;	23*13*13cm(L*W*H) 1PCS/Contain box： 1.3KG
	BL05-4G-2MP-10X **BL05-4G-5MP-10X**	1. Double antenna 10 times optical high-definition network ball (4.7-47MM) night vision distance: 20-100 meters, 2. Support4G Sim card and Wifi. 3. Insert SD card, 4. Mobile APP: camhi or camhipro 5. Support up to 256GB TF card, 24 hours video recording;	Q,TY:12PCS N.W.: 12.22 KG G.W.: 13KG MEAS:72*46.5*50cm HS CODE:8525803990

WiFi Bullet Security Cameras Quotation

APP:CamHi & CamHipro

/ Technology Co.,Ltd Contact: sales@amv-cctv.com Tel/whatsapp/wechat:+8615118019620 Skype: amv_cctv www.amv-cctv.

PICTURE	MODEL	FEATURES	PACKING SPECIFICATIONS
	BL01-WiFi-2MP-3.6mm	1. 4 matrix infrared lights, 4 night vision distance: 20 meters; 2. PTZ Standard 3.6mm lens; 3. Wifi/Rj45 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording; 7. With pan/tilt, support humanoid recognition/automatic tracking, horizontal 180° rotation, vertical 0°～90° automatic flip.	24.7*11.4*9.4cm(L*W*H) 1PCS/Contain box：0.5KG  Q,TY:30PCS N.W.: 14.23 KG G.W.: 15KG MEAS:49.5*58.8*30.4cm HS CODE:8525803990
	BL01-WiFi-5MP-3.6mm		
	BL02-WiFi-2MP-3.6mm	1. 10 matrix infrared lights,full day and night; night vision distance: 20 meters; 2. 3.6mm fixed lens; 3. Wifi/Rj45; 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.5KG Q,TY:50PCS N.W.: 24.02 KG G.W.: 25KG MEAS:54*40*52cm HS CODE:8525803990
	BL02-WiFi-5MP-3.6mm		
	BL02-WiFi-8MP-3.6mm		
	BL03-WiFi-2MP-3.6mm	1. 4 matrix infrared lights, 4 night vision distance: 20 meters; 2. 3.6mm fixed lens; 3. Wifi/Rj45; 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.5KG Q,TY:50PCS N.W.: 24.02 KG G.W.: 25KG MEAS:54*40*52cm HS CODE:8525803990
	BL03-WiFi-5MP-3.6mm		
	BL03-WiFi-8MP-3.6mm		
	BL04-WiFi-2MP-2.8mm	1. 18 matrix infrared lights,full day and night; night vision distance: 10 meters; 2. 2.8mm fixed lens; 3. Built-in SD card, external 4G SIM card; 4. Mobile APP: camhi or camhipro; 5. Support two-way voice intercom; 6. Support up to 128GB TF card, 24 hours video recording;;	19.5*10*10.5cm(L*W*H) 1PCS/Contain box：0.37KG Q,TY:50PCS N.W.: 27.12 KG G.W.: 18.5KG MEAS:54*40*52cm HS CODE:8525803990
	BL04-WiFi-5MP-2.8mm		
	BL05-WiFi-2MP-5X	1. Double antenna 5 times optical high-definition network ball (2.7-13.5MM) night vision distance: 20-60 meters, 2. 5MP lens 3. Insert SD card, 4G SIM card 4. Mobile APP: camhi or camhipro 5. Support up to 256GB TF card, 24 hours video recording;	23*13*13cm(L*W*H) 1PCS/Contain box： 1.3KG
	BL05-WiFi-5MP-5X		
	BL05-WiFi-2MP-10X	1. Double antenna 10 times optical high-definition network ball (4.7-47MM) night vision distance: 20-100 meters, 2. 5MP lens 3. Insert SD card, 4G SIM card 4. Mobile APP: camhi or camhipro 5. Support up to 256GB TF card, 24 hours video recording;	Q,TY:12PCS N.W.: 12.22 KG G.W.: 13KG MEAS:72*46.5*50cm HS CODE:8525803990
	BL05-WiFi-5MP-10X		